




SHADE FABRICS



Solids

G170



g _{TOT}	TS	TV	UPF
0,09	1	1	50+

G460



g _{TOT}	TS	TV	UPF
0,05	4	1	50+

Z647



g _{TOT}	TS	TV	UPF
0,12	9	6	50+

G245



g _{TOT}	TS	TV	UPF
0,11	3	1	50+

G481



g _{TOT}	TS	TV	UPF
0,08	7	4	50+

G209



g _{TOT}	TS	TV	UPF
0,11	5	1	50+

G101



g _{TOT}	TS	TV	UPF
0,10	5	1	50+

R022



g _{TOT}	TS	TV	UPF
0,10	3	1	50+

G235



g _{TOT}	TS	TV	UPF
0,10	6	1	50+

Textures

G469



g _{TOT}	TS	TV	UPF
0,11	8	3	50+

G226



g _{TOT}	TS	TV	UPF
0,15	12	8	50+

G083



g _{TOT}	TS	TV	UPF
0,18	18	14	50+

G636



g _{TOT}	TS	TV	UPF
0,12	9	6	50+

G467



g _{TOT}	TS	TV	UPF
0,09	7	3	50+

G674



g _{TOT}	TS	TV	UPF
0,09	4	1	50+

G267



g _{TOT}	TS	TV	UPF
0,17	16	5	50+

G583



g _{TOT}	TS	TV	UPF
0,11	5	1	50+

G471



g _{TOT}	TS	TV	UPF
0,09	5	3	50+

G702




g _{TOT}	TS	TV	UPF
0,11	4	3	50+

G168



g _{TOT}	TS	TV	UPF
0,08	3	1	50+

G582



g _{TOT}	TS	TV	UPF
0,08	2	1	50+

G643



g _{TOT}	TS	TV	UPF
0,11	8	6	50+

G148



g _{TOT}	TS	TV	UPF
0,09	6	3	50+

G365



g _{TOT}	TS	TV	UPF
0,12	14	13	50+

G602




g _{TOT}	TS	TV	UPF
0,09	3	1	50+

Pin Stripes & Stripes


SAN BARNABA

G918




g_{TOT}	TS	TV	UPF
0,09	8	5	50+

G917



g_{TOT}	TS	TV	UPF
0,06	6	2	50+


G729



g_{TOT}	TS	TV	UPF
0,08	7	4	50+

RUSINE

G721




g_{TOT}	TS	TV	UPF
0,08	6	2	50+

G723



g_{TOT}	TS	TV	UPF
0,11	12	8	50+

G787



g_{TOT}	TS	TV	UPF
0,09	9	4	50+

Pin Stripes & Stripes


FANTASIES

G634




g_{TOT}	TS	TV	UPF
0,17	17	14	50+

G332




g_{TOT}	TS	TV	UPF
0,17	16	13	50+

G428



g_{TOT}	TS	TV	UPF
0,14	20	16	50+

R254



g_{TOT}	TS	TV	UPF
0,13	17	13	50+

G756



g_{TOT}	TS	TV	UPF
0,16	23	22	50+

R257



g_{TOT}	TS	TV	UPF
0,13	18	14	50+

R079



g_{TOT}	TS	TV	UPF
0,13	16	14	50+

G347



g_{TOT}	TS	TV	UPF
0,14	20	17	50+

G770



g_{TOT}	TS	TV	UPF
0,16	23	19	50+

SHADE FABRICS

Pin Stripes & Stripes

FANTASIES

G427



g _{TOT}	TS	TV	UPF
0,12	15	13	50+

G432



g _{TOT}	TS	TV	UPF
0,13	17	14	50+

G424




g _{TOT}	TS	TV	UPF
0,12	16	14	50+

G269



g _{TOT}	TS	TV	UPF
0,14	18	13	50+

G435




g _{TOT}	TS	TV	UPF
0,11	13	9	50+

G811



g _{TOT}	TS	TV	UPF
0,14	19	16	50+

G686





g _{TOT}	TS	TV	UPF
0,10	12	7	50+

G270



g _{TOT}	TS	TV	UPF
0,12	16	14	50+

R228



g _{TOT}	TS	TV	UPF
0,14	20	17	50+

Pin Stripes & Stripes


FANTASIES

R498




g _{TOT}	TS	TV	UPF
0,11	14	11	50+

G803



g _{TOT}	TS	TV	UPF
0,12	15	11	50+

Z516



g _{TOT}	TS	TV	UPF
0,15	21	19	50+

G117



g _{TOT}	TS	TV	UPF
0,14	20	17	50+



SHADE FABRICS

SPECIFICATION

Thickness	0,55 mm
Weight (ISO 2286-2)	290 g/m2
Roll width	120 cm



Composition	100% solution dyed acrylic
Finishing	Water repellent
Treatment	Mold resistant Stain resistant
Biocides	OIT
Yarn	PC 2/34 Nm 2/34 Nm
Construction	30 yarn/cm 15 yarn/cm
Roll Length	60m
Breaking Strength	140 daN/5cm 90 daN/5cm
Tear Strength	3,5 daN 2,5 daN
Water Column	350mm
Spray Test (ISO 24920)	5/5
Oil repellency	5
UV Colour Fastness	7-8/8

TOPOLOGY

> 100% solution dyed Outdoor acrylic.

FEATURES

> The solution dye assures a high resistance of the colours to UV. Duraclean treatment for high water-repellency and strong anti-dirt.

CARE AND CLEANING

Remove heavy dirt with running water. Use a soft cloth or brush and avoid abrasive facilities and strong rubbing. Cleaning with IRISUN® APCO FAST CLEANER is recommended.

Do not use aggressive detergents, alkaline or acid substances, oxidizers like hypochlorite or hydrogen peroxide.

To remove mould it is allowed to use white vinegar then rinsed with abundant water. Let the awning dry well before rolling up. It is advisable to treat the material periodically with a protective product (IRISUN® APCO PROTECTANT) strengthening the fabric and renovating its water repellency properties.

APPLICATIONS

Fabrics recommended for roll up and retractable awnings, Dutch canopies, gazebo, furniture covers and café banners. Suitable for marine applications.